


S.N. 09/809,173  
Group Art Unit 1615

Amendment A

**EXHIBIT B**  
**CLEAN SET OF ALL PENDING CLAIMS**  
**FOLLOWING ENTRY OF THE PRESENT AMENDMENT**

 1. A process of making a solid pharmaceutical composition comprising moexipril magnesium, said process comprising the step of reacting moexipril or an acid addition salt thereof with an alkaline magnesium compound in the presence of a solvent so as to convert at least 70% of the moexipril or moexipril acid addition salt to moexipril magnesium.

2. The process of Claim 1 comprising the steps of:
- i) adding the moexipril or acid addition salt thereof and the alkaline magnesium compound to solvent and mixing in the liquid state;
  - ii) evaporating the solvent to obtain a dried material, and
  - iii) further processing the dried material into the solid pharmaceutical composition.
3. The process of Claim 2 wherein, before the solvent is evaporated, the liquid is filtered to remove unreacted alkaline magnesium compound.

4. The process of Claim 2 or 3 wherein the solvent is evaporated by spray-drying.

---


5. The process of Claim 1 comprising the steps of:

- B<sup>2</sup>
- i) adding the moexipril or acid addition salt thereof and the alkaline magnesium compound to solvent;
  - ii) using the resultant solution or suspension to wet granulate with excipients to obtain a wet mass;
  - iii) drying the wet mass to obtain a dried mass; and
  - iv) further processing the dried mass into the solid pharmaceutical composition.
- 

6. The process of Claim 1 comprising the steps of:

- i) adding the alkaline magnesium compound to solvent;
- ii) using the resulting solution or suspension to wet granulate a mixture of the moexipril or acid addition salt thereof and one or more excipients to obtain a wet mass;
- iii) drying the wet mass to obtain a dried mass; and
- iv) further processing the dried mass into the solid pharmaceutical composition.

7. The process of Claim 1 comprising the steps of:

- 
- i) adding the moexipril or acid addition salt thereof to solvent;
  - ii) using the resultant solution or suspension to wet granulate a mixture of the alkaline magnesium compound and one or more excipients to obtain wet mass;
  - iii) drying the wet mass to obtain a dried mass, and
  - iv) further processing the dried mass into the solid pharmaceutical composition.

8. The process of Claim 1 comprising the steps of:

- i) mixing the moexipril or acid addition salt thereof and alkaline magnesium compound with one or more excipients;
- ii) adding a solvent and mixing to obtain a wet mass;
- iii) drying the wet mass to obtain a dry mass; and
- iv) further processing the dried mass into the solid pharmaceutical composition.

---

9. The process of any one of Claims 1, 2, 3, 5, 6, 7, or 8 where the solvent is selected from a group of solvents comprising water, an organic solvent, acetone, or combinations thereof.

10. The process of any one of Claims 1, 2, 3, 5, 6, 7, or 8 wherein the moexipril or acid addition salt thereof is moexipril hydrochloride.

11. The process of any one of Claims 1, 2, 3, 5, 6, 7, or 8 wherein the alkaline magnesium compound is selected from the group of compounds comprising magnesium hydroxide, magnesium oxide, magnesium carbonate, or the magnesium salt of a weak acid.

12. The process of any one of Claims 1, 2, 3, 5, 6, 7, or 8 wherein the percentage of the moexipril or acid addition salt converted to moexipril magnesium is greater than 80%.

13. The process of Claim 12 wherein the percentage of the moexipril or acid addition salt thereof converted to moexipril magnesium is greater than 90%.

14. A solid pharmaceutical composition comprising moexipril magnesium.

15. The process of Claim 4 where the solvent is selected from a group of solvents comprising water, an organic solvent, acetone, or combinations thereof.

16. The process of Claim 4 wherein the moexipril or acid addition salt thereof is moexipril hydrochloride.

17. The process of Claim 4 wherein the alkaline magnesium compound is selected from the group of compounds comprising magnesium hydroxide, magnesium oxide, magnesium carbonate, or the magnesium salt of a weak acid.

25 18. The process of Claim 4 wherein the percentage of the moexipril or acid addition salt converted to moexipril magnesium is greater than 80%.